

# Daily Health Check and What to Do When Sick

Important Information – Please Translate	
這是一份重要資訊 — 請找人為您翻譯	这是一份重要信息 — 请找人为您翻译
Mahalagang Impormasyon - Paki salin sa sariling wika	Thông tin quan trọng - Xin tìm phiên dịch
ਮਹੱਤਵਪੂਰਨ ਜਾਣਕਾਰੀ-ਮਿਹਰਬਾਨੀ ਕਰਕੇ ਅਨੁਵਾਦ ਕਰੋ/ਕਰਵਾਓ	महत्वपूर्ण जानकारी - कृपया अनुवाद करें
Información importante - Por favor traducir	Informations importantes - s'il vous plaît traduire
重要な情報-翻訳してください	중요한 정보 - 번역 부탁드립니다
معلومات مهمة - الرجاء الترجمة	اطلاعات مهم - لطفا ترجمه کنید

## Daily Health Check

Everyone going into to school must complete a daily health check, including staff, visitors, and students. A daily health check means checking yourself or your child for new symptoms of illness, including symptoms of COVID-19.

Symptoms of illness (including COVID-19) include things like:

- Fever or chills
- Difficulty breathing
- Runny nose
- Headache
- Diarrhea
- Cough
- Sore throat
- Sneezing
- Body aches
- Loss of sense of smell or taste
- Loss of appetite
- Extreme fatigue or tiredness
- Nausea or vomiting

**If you are sick or feel unwell, stay at home. This is important to stop the spread of illness, including COVID-19, in schools.**

You can attend school if:

- Your symptoms are consistent with a previously diagnosed health condition (e.g., seasonal allergies), OR
- You have existing symptoms that have improved to where you feel well enough to return to regular activities,

AND you are not required to self-isolate, or your self-isolation period is over (based on a positive COVID-19 test result, if taken).

## What to Do When Sick

**If you have mild symptoms of COVID-19**, you usually don't need a test. Mild symptoms are symptoms that can be managed at home. Most people don't need testing for COVID-19.

Stay home and away from others (as much as possible) until you feel well enough to return to your regular activities and you no longer have a fever. You should also avoid non-essential visits to higher risk settings such as long term care facilities and gatherings, for another 5 days after ending isolation.

If you have a Rapid Antigen Test at home, use it when you have symptoms. How long you should stay home depends on your test result. Find out more about [Rapid Antigen Test results](#).

**If you do not have symptoms of COVID-19**, you do not need a test.

**If you are unsure about your symptoms**, you can use the [Self-Assessment Tool](#), contact your health care provider or call 8-1-1.

Testing may be recommended for some people who may be more likely to get severe disease. See BCCDC for information on [who testing is recommended for](#).

## What to Do if Someone in Your Household is Sick

You can continue to attend school if someone in your household is sick and/or self-isolating as long as you do not have any symptoms of illness and feel well. This includes if they have tested positive for COVID-19.

Try to stay apart from the person in your household who is sick as much as possible.

Ensure you closely monitor yourself (or your child) for symptoms of illness and stay home if you develop symptoms of illness or feel unwell.

## If You Test Positive for COVID-19


Your age and vaccination status determine how long you should self-isolate for if you test positive for COVID-19.

Age	Vaccination Status	Guidance
Under 18 years of age	Unvaccinated, partially vaccinated or fully vaccinated	Self-isolate at home for 5 days AND until your symptoms improve and you no longer have a fever. Avoid non-essential visits to higher risk settings like long-term care facilities and gatherings for another 5 days after ending isolation.
18 years of age or older	Fully vaccinated	
	NOT fully vaccinated	Self-isolate at home for 10 days AND until your symptoms improve and you no longer have a fever.

Close contacts, who are usually others in your household, do not need to self-isolate (regardless of vaccination status), but should closely self-monitor for symptoms. BCCDC has more information for [close contacts](#).

**If you find it hard to breathe, have chest pain, can't drink anything, feel very sick, and/or feel confused, contact your health care provider right away or go to your local emergency department or call 9-1-1.**

## Summary: What to Do When Sick



### What to do if someone is sick in your household:

You can continue to attend school if someone in your household is sick and/or self-isolating as long as you do not have any symptoms of illness and feel well. This includes if they have tested positive for COVID-19. Ensure you closely monitor yourself (or your child) for symptoms of illness and stay home if you feel unwell. The best way to protect yourself and your family from COVID-19 is to get vaccinated. Vaccines are available for anyone ages 5 and up. Register now at:

[Getvaccinated.gov.bc.ca](https://getvaccinated.gov.bc.ca)